

Ser. No. 10/037,845  
522.009PA

*In the Claims:*

Please amend the Claims to read as follows:

1 – 1. (Currently amended) High-resolution sheet metal scanner using machine vision for checking  
2 the accuracy of openings drilled or punched into a mechanical part, comprising:

3 a lower assembly which includes a housing ~~which is environmentally sealed sufficiently~~  
4 ~~to exclude dust and contaminants~~; a planar scanning camera carriage assembly within said  
5 housing and capable of producing controlled movement of a camera carriage member in two  
6 orthogonal directions in a horizontal plane; a flat transparent support plate disposed on an upper  
7 side of said housing on which said part is to be supported for viewing; and a camera assembly  
8 mounted on said carriage member and oriented upwards including an imager for producing at  
9 least one line of pixels and focussing means for focussing said imager upon an upper surface of  
10 said support plate;

11 a generally linear illuminator mounted above said lower assembly and providing a  
12 substantially uniform light along a line in one of said orthogonal directions, and being linearly  
13 movable in the other of said orthogonal directions across said support plate;

14 camera carrier control means coupled with said camera carriage assembly and with said  
15 camera assembly for guiding said camera assembly in a controlled scanning pattern within said  
16 lower assembly housing and processing image data of said part based on pixels produced by said  
17 camera assembly imager; and

18 illuminator control means for linearly moving said illuminator in the other of said  
19 orthogonal directions to track motion of said camera carriage member;

20 wherein said linear illuminator is mechanically independent of said camera carriage  
21 assembly.

1 2. (Original) The high-resolution sheet metal scanner of Claim 1 wherein said camera assembly  
2 includes a polarizing filter.

Ser. No. 10/037,845  
522.009PA

1 3. (Original) The high-resolution sheet metal scanner of Claim 1 wherein said illuminator  
2 includes a single fluorescent tube extending across said support plate.

1 4. (Currently amended) The high-resolution sheet metal scanner of Claim 3 wherein said  
2 illuminator is disposed at about one substantially an inch above said support plate.

1 5. (Original) The high-resolution sheet metal scanner of Claim 1 wherein said scanning camera  
2 carriage assembly includes a first lead screw, a first stepper motor for controllably rotating said  
3 first lead screw, a second lead screw, a second stepper motor for controllably rotating the second  
4 lead screw, first and second stage rails arranged orthogonally and means for permitting said  
5 camera carriage to travel along said first and second stage rails in accordance with rotation of  
6 said first and second lead screws.

1 6. (Original) The high-resolution sheet metal scanner of Claim 5 including first and second high-  
2 resolution encoders within said housing for determining X and Y location of said camera  
3 carriage.

1 7. (Original) The high-resolution sheet metal scanner of Claim 1 wherein said imager includes a  
2 linear imager producing one line of pixels at a time.

1 8. (Original) The high-resolution sheet metal scanner of Claim 1 including position adjusting  
2 means for fine adjustment of vertical position of said support plate.

1 9. (Original) The high-resolution sheet metal scanner of Claim 1 wherein said control means  
2 includes means to adjust the dimensions of scan to the size of the part.

Ser. No. 10/037,845  
522.009PA

1 10. (Original) The high-resolution sheet metal scanner of Claim 1 wherein said lower assembly  
2 further includes motion damping support means to minimize effects of floor vibration on action  
3 of the scanning carriage assembly.

1 11. (Original) The high-resolution sheet metal scanner of Claim 10, wherein said motion  
2 damping means includes means for tuning to damp out specific frequencies.

1 12. (Original) The high-resolution sheet metal scanner of Claim 1, wherein said camera has a  
2 body portion with its center of gravity disposed beneath the plane of said scanning camera  
3 carriage assembly.

13. (Canceled – incorporated into Claim 1)

1 14. (Original) The high-resolution sheet metal scanner of Claim 1, wherein said camera carrier  
2 control means includes means for calibrating over the entire surface of said support plate to  
3 compensate for defects in the linear rails and in the support plate.

1 15. (Original) The high-resolution sheet metal scanner of Claim 1, further comprising means for  
2 adjusting the focussing means of said camera assembly to focus the camera at any of a plurality  
3 of different heights above said support plate.

1 16. (New) The high-resolution sheet metal scanner of Claim 1, wherein said housing is  
2 environmentally sealed sufficiently to exclude dust and contaminants.

1 17. (New) The high-resolution sheet metal scanner of Claim 4, wherein the height of the  
2 illuminator above said support plate is adjustable. –